

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	steele.in. and battelle.as	US-PGPIB; USPAT; USOCR	OR	ON	2010/08/17 09:13
L2	1	(RD tag\$1) with search near\$ (method procedure) near\$ (select\$3 determin\$5 choos\$3 vary\$3) and (455/39,41,2,414,1,434,550,1.cds. or 340/3,1,3,1,3,52,3,6,10,1,10,2,10,32,10,33,539,23,540,572,1,572,4,573,1,10,33,825,54.cds.)	US-PGPIB; USPAT; USOCR	OR	ON	2010/08/17 09:20
L3	18	(RD tag\$1) with search near\$ (method procedure) near\$ (select\$3 determin\$5 choos\$3 vary\$3)	US-PGPIB; USPAT; USOCR	OR	ON	2010/08/17 09:21
L4	7	(RD tag\$1) with search near\$ (method procedure) with (identification identifier) and (455/39,41,2,414,1,434,550,1.cds. or 340/3,1,3,1,3,52,3,6,10,1,10,2,10,32,10,33,539,23,540,572,1,572,4,573,1,10,33,825,54.cds.)	US-PGPIB; USPAT; USOCR	OR	ON	2010/08/17 09:22
L5	40	(RD tag\$1) with (search\$3 query\$3) near\$ (method\$1 procedur\$1) near\$ (select\$3 determin\$5 choos\$3 vary\$3)	US-PGPIB; USPAT; USOCR	OR	ON	2010/08/17 09:24
L6	94	("4471345" "4924210").PN. OR ("5266925") URP.N	US-PGPIB; USPAT; USOCR	OR	ON	2010/08/17 09:26
L7	117	("3520405" "3699885" "4071908" "4225953" "4418411" "4471345" "4495496" "4533871" "4598275" "4636950" "4656463" "4862160" "4931788" "5030807" "5124699" "5214409" "5245534" "5266925" "5271793" "5289372" "5313052" "5339073" "5356516" "5365551" "5390360" "5410315" "5420577" "5430441" "5434572" "5434775" "5444223" "5446447" "5469142" "5478991" "5479416" "5489908" "5499017" "5500650" "5515053" "5517399" "5519381" "5528222" "5528232" "5537105" "5539394" "5539775" "5541928" "5550547" "5557280" "5566441" "5567692" "5583819" "5583850" "5591951" "5602538" "5627517" "5627544" "5640151" "5646907" "5649765" "5649767" "5679037" "5680459" "5686888" "5686902" "5689239" "5719596" "5742618" "5771021" "5774876" "5798693" "5856788" "5887176" "5912632" "5917422" "5959568" "5963133" "6002344" "6025780" "6057756" "6058374" "6097347" "6100804" "6130602" "6147605" "6215401" "6243013" "6286762" "6354493" "6366205" "6388569" "6433671" "6463039" "6549064").PN. OR ("6989750").URPN	US-PGPIB; USPAT; USOCR	OR	ON	2010/08/17 09:27
L8	0	(RD tag\$1) with (binary adj (search\$3 query\$3)) with ((direct walk\$1 through) adj (search query\$3))	US-PGPIB; USPAT; USOCR; FRFS; EPO; JPO; DERWENT; IBM, TDB	OR	ON	2010/08/17 09:31
L9	18	(binary adj (search\$3 query\$3)) same ((direct walk\$1 through) adj (search query\$3))	US-PGPIB; USPAT; USOCR; FRFS; EPO; JPO; DERWENT; IBM, TDB	OR	ON	2010/08/17 09:32
L10	175	(binary adj (search\$3 query\$3)) with (identification identifier)	US-PGPIB; USPAT; USOCR; FRFS; EPO; JPO; DERWENT; IBM, TDB	OR	ON	2010/08/17 09:47
L11	15	10 and (455/39,41,2,414,1,434,550,1.cds. or 340/3,1,3,1,3,52,3,6,10,1,10,2,10,32,10,33,539,23,540,572,1,572,4,573,1,10,33,825,54.cds.)	US-PGPIB; USPAT; USOCR	OR	ON	2010/08/17 09:47

L12	0	{RRD tag\$1} with (search\$3 query\$3) with (identification identifier) with range near\$ number\$1	{US-PGPUB; USPAT; USCOR; FRPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/17 09:50
L13	3	{RRD tag\$1} with (search\$3 query\$3) same (identification identifier) with range near\$ number\$1	{US-PGPUB; USPAT; USCOR; FRPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/17 09:52
L14	134	{RRD tag\$1} with (search\$3 query\$3) same (identification identifier) with range	{US-PGPUB; USPAT; USCOR; FRPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/17 09:56
L15	21	{{(identification identifier) and ((search query) adj (method\$1 procedure\$1)) and range and group}.dm.	{US-PGPUB; USPAT; USCOR; FRPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/17 10:05
L16	47	14 and (455/39.41.2.414.1.434.550.1.cds. or 340/3.1.3.1.3.52.3.6.10.1.10.2.10.32.10.33.539.23.540.572.1.572.4.573.1.10.33.825.54.cds.)	{US-PGPUB; USPAT; USCOR	OR	ON	2010/08/17 10:05
L17	1	15 and (455/39.41.2.414.1.434.550.1.cds. or 340/3.1.3.1.3.52.3.6.10.1.10.2.10.32.10.33.539.23.540.572.1.572.4.573.1.10.33.825.54.cds.)	{US-PGPUB; USPAT; USCOR	OR	ON	2010/08/17 10:06
L18	56	("4075632" "4862453" "4926182" "5142694" "5365551" "54793416" "5500650" "5583850" "5608739" "5621412" "5625628" "5627544" "5649236" "5805686" "5841770").PN. OR ("6061344").UPPN.	{US-PGPUB; USPAT; USCOR	OR	ON	2010/08/17 10:07
S1	646	{RRD RRD "radio frequency identification" ((radio adj frequency) near2 ID) and 340/10.2.10.3.10.31.10.32.10.33.10.34.10.4.10.41.10.42.cds.	{US-PGPUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 05:41
S2	56	S1 and "455"/\$.cds.	{US-PGPUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 15:43
S3	30	("3705365" "4064487" "4075632" "4963610" "4736207" "4633461" "5369800" "5450492" "5517195" "5694454" "5693055" "5771021" "5850181" "5864302" "6091342" "6177861" "6249223" "6362738" "6456668" "6460143" "6505321").PN. OR ("6745008").UPPN.	{US-PGPUB; USPAT; USCOR	OR	ON	2007/06/19 15:48
S4	39	("3691960" "4169712" "4354189" "4384288" "4712103" "4616973" "5019615").PN. OR ("5339074").UPPN.	{US-PGPUB; USPAT; USCOR	OR	ON	2007/06/19 16:12
S5	46	{RRD RRD "radio frequency identification" ((radio adj frequency) near2 ID) transponder (identification near2 tag) ((RF "radio frequency") near3 tag)} same (search\$3 count\$3 discover\$3) near3 (strateg\$3 technique\$1 method\$1 system\$1) and 340/3.51.3.52.3.53.3.54.10.2.10.3.10.31.10.32.10.33.10.34.10.4.10.41.10.42.825.31.cds.	{US-PGPUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 17:16

S6	12	["4471345" "4691202" "5339073" "5365551" "5410315" "5455575" "5489908" "5550547" "5602538" "5646607" "5751570" "6091319"].PN. OR ("6876294").URPN.	{US-PGPUB; USPAT; USOCR}	OR	ON	2007/06/19 17:12
S7	6	{RRD RFID "radio frequency identification" ((radio adj frequency) near2 ID) transponder (identification near2 tag) ((RF "radio frequency") near3 tag) reader) same (dynamic\$4 vary\$3 variable automatic\$3) near5 (search\$3 count\$3 discover\$3 query\$3) near3 (strateg\$3 technique\$1 method\$1 system\$1) and 340/3.51,3.52,3.53,3.54,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,825,31,572,1.5,92.cds.	{US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB}	OR	ON	2007/06/19 17:29
S8	0	{RRD RFID "radio frequency identification" ((radio adj frequency) near2 ID) transponder (identification near2 tag) ((RF "radio frequency") near3 tag) same (interrogator reader) same (dynamic\$4 vary\$3 variable automatic\$3) near5 (search\$3 count\$3 discover\$3 query\$3) near3 (strateg\$3 technique\$1 method\$1 system\$1) and 340/3.51,3.52,3.53,3.54,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,825,31,572,1.5,92.cds.	{US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB}	OR	ON	2007/06/19 17:32
S9	72	{RRD RFID "radio frequency identification" ((radio adj frequency) near2 ID) transponder (identification near2 tag) ((RF "radio frequency") near3 tag) same (interrogat\$3 reader) same (search\$3 count\$3 discover\$3 query\$3) near3 (strateg\$3 technique\$1 method\$1 system\$1) and 340/3.51,3.52,3.53,3.54,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,825,31,572,1.5,92.cds.	{US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB}	OR	ON	2007/06/19 18:16
S10	40	S9 not S5	{US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB}	OR	ON	2007/06/19 17:34
S11	28	["4782345" "4816839" "5455575" "5629981" "5686902" "5767789" "5825806" "5864580" "5914671" "6172596" "6246882"].PN. OR ("609351").URPN.	{US-PGPUB; USPAT; USOCR}	OR	ON	2007/06/19 17:41
S12	19	{RRD RFID "radio frequency identification" ((radio adj frequency) near2 ID) transponder (identification near2 tag) ((RF "radio frequency") near3 tag) reader) same (search\$3 count\$3 discover\$3 query\$3) near3 (strateg\$3 technique\$1 method\$1 system\$1) and "705"/\$.cds.	{US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB}	OR	ON	2007/06/21 15:14
S14	2	"6876294".pn.	{US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB}	OR	ON	2007/06/19 17:49
S15	12	["4471345" "4691202" "5339073" "5365551" "5410315" "5455575" "5489908" "5550547" "5602538" "5646607" "5751570" "6091319"].PN. OR ("6876294").URPN.	{US-PGPUB; USPAT; USOCR}	OR	ON	2007/06/19 18:07
S16	27	["5339073" "5583819" "5742618" "5745049" "5751573" "5802080" "5986570"].PN. OR ("6091319").URPN.	{US-PGPUB; USPAT; USOCR}	OR	ON	2007/06/19 18:08
S17	12	["5339073" "5550547" "5673037" "5986570" "6091319" "6265962" "6377203" "6456191" "6469618"].PN. OR ("6725014").URPN.	{US-PGPUB; USPAT; USOCR}	OR	ON	2007/06/19 18:12
S19	32	455/41,2,41,3.cds and 340/3.51,3.52,3.53,3.54,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,825,31,572,1.5,92.cds.	{US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB}	OR	ON	2007/06/19 18:21

S20	17	S19 not (S16 or S11 or S10 or S5 or S2)	US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 18:21
S21	213	235/385 ocls. and 340/351,352,353,354,10,2,10,3,10,31,10,32,10,33,10,34,10,4,10,41,10,42,825,31,572,1,5,32 ocls	US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 18:21
S22	203	S21 not (S19 or S16 or S11 or S10 or S5 or S2)	US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 18:22
S23	2	"5940768".pn.	US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 09:21
S24	2	"20020123329".pn.	US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:55
S25	8	("5636269" "5848142" "5857017" "H001714").PN.	US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:10
S26	0	"6876294".ocls.	US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:10
S27	0	"6876294.pn".ocls	US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:10
S28	0	"6876294.pn."	US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:10

S29	2	"6876294".pn.	US-PGPUB; USPAT; USOCR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:12
S30	2	"20660017544".pn.	US-PGPUB; USPAT; USOCR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:13
S31	128	{RRID RFID "radio frequency identification" ((radio adj frequency) near2 ID) transponder (identification near2 tag) ((RF "radio frequency") near3 tag) with (interrogat\$3 reader) with (back\$1scatter near2 modulation)}	US-PGPUB; USPAT; USOCR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:15
S32	21	{determin\$5 search\$3 assign\$4 appropriat\$3} near4 {search identification} near3 {technique algorithm method} same {RRID RFID "radio frequency identification" ((radio adj frequency) near2 ID)} and 340/3.51,3.52,3.53,3.54,5.92,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,572.1.cds.	US-PGPUB; USPAT; USOCR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 11:10
S33	3	{"5751570" "6538563".PN. OR ("7009518").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/17 11:01
S34	32	{"5124699" "5430441" "5450492" "5451959" "5538394" "5543797" "5550548" "5602538".PN. OR ("5751570").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/17 11:24
S35	1	"6690954".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/17 11:24
S36	10	{"5165095" "5222121" "5842139" "6157844" "6212408" "6260012" "6283216" "6272361" "6449496" "6459911".PN. OR ("6690954").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/17 11:37
S37	54	{search count} near3 {technique algorithm method} same {RRID RFID "radio frequency identification" ((radio adj frequency) near2 ID)}	US-PGPUB; USPAT; USOCR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 11:15
S38	5989	{search count\$3 interrogat\$3} with {technique algorithm logic method} same {RRID RFID "radio frequency identification" ((radio adj frequency) near2 ID) tag}	US-PGPUB; USPAT; USOCR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 11:19
S39	904	{search count\$3 interrogat\$3} with {technique algorithm logic method} same {RRID RFID "radio frequency identification" ((radio adj frequency) near2 ID) tag} and 340/3.51,3.52,3.53,3.54,5.92,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,572.1.cds.	US-PGPUB; USPAT; USOCR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 12:32

S40	497	{search count\$3 interroga\$3} near5 (technique algorithm logic method) same (RFID RFID "radio frequency identification" ((radio adj frequency) near2 ID) tag) and 340/3.51,3.52,3.53,3.54,5.92,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,572.1.cds	{US-PGPUB; USPAT; USCOR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 11:18
S41	480	S40 not S37	{US-PGPUB; USPAT; USCOR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 11:18
S42	705	{search count\$3 interroga\$3} with (technique algorithm logic method) same (RFID RFID "radio frequency identification" ((radio adj frequency) near2 ID) tag) same (distance range priority)	{US-PGPUB; USPAT; USCOR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 09:40
S43	232	{search count\$3 interroga\$3} with (technique algorithm logic method) same (RFID RFID "radio frequency identification" ((radio adj frequency) near2 ID) tag) same (distance range priority) and 340/3.51,3.52,3.53,3.54,5.92,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,572.1.cds.	{US-PGPUB; USPAT; USCOR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 12:11
S44	24	{search count\$3 interroga\$3} near3 (technique algorithm logic method procedure) same (RFID RFID "radio frequency identification" ((radio adj frequency) near2 ID) tag) same (distance range priority) same binary	{US-PGPUB; USPAT; USCOR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 12:18
S45	50	{dynamic\$4 switch\$3 determin\$5 assign\$3 designat\$3} near5 {search count\$3 interroga\$3} near4 (technique algorithm logic method procedure) same (RFID RFID "radio frequency identification" ((radio adj frequency) near2 ID) tag) same (distance range priority)	{US-PGPUB; USPAT; USCOR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 12:29
S46	48	S45 not S37	{US-PGPUB; USPAT; USCOR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 12:31
S47	6063	battelle.as	{US-PGPUB; USPAT; USCOR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 12:32
S48	30	S47 and 340/3.51,3.52,3.53,3.54,5.92,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,572.1.cds.	{US-PGPUB; USPAT; USCOR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 06:56

S49	25	{RRD RFD "radio frequency identification" ((radio adj frequency) near2 D) same (binary logarithm\$2) near3 (search\$3 count\$3 interrogat\$3 identi\$8) and 340/10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42.cds	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 09:28
S50	24	{"20020024422" "20020149481" "20020152044" "20020167405" "20030052161" "20030137400" "20040036575" "20040113790" "20040134984" "20050104719" "5124899" "5345231" "5525992" "5537105" "5856788" "5995019" "6107910" "6265962" "6404325" "6433671" "6531957" "6560358" "6724297" "6950009".PN OR ("7284703").UPFN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/25 09:26
S51	33	{RRD RFD "radio frequency identification" ((radio adj frequency) near2 D) same (binary logarithm\$2) near4 (search\$3 count\$3 interrogat\$3 identi\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 09:31
S52	36	S51 not (S50 or S49)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 09:31
S53	3	{search count\$3 interrogat\$3} same {RRD RFD "radio frequency identification" ((radio adj frequency) near2 D) tag} same {distance range priority} same pol\$3 same binary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 09:45
S54	12	{search count\$3 interrogat\$3} same {RRD RFD "radio frequency identification" ((radio adj frequency) near2 D) tag} same pol\$3 same binary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 05:44
S55	9	S54 not S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/25 09:45
S56	2	"5674724".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 05:41
S57	39	{"4202491" "5104277" "5280159" "5349332" "5354979" "5362784" "5430441" "5464997" "5466687" "5497140" "5500517" "5526233" "5635701" "5736727".PN OR ("5674724").UPFN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/26 05:42
S58	6	{search count\$3 number interrogat\$3} same {RRD RFD "radio frequency identification" ((radio adj frequency) near2 D) tag} same {range distance location position} same pol\$3 same binary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 05:47

S59	10	{RFID RFID "radio frequency identification" ((radio adj frequency) near2 ID) tag) same (range distance location position) same poll \$3 same binary	{US-PGPUB; USPAT; USCOR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 06:03
S60	4	S59 not S58	{US-PGPUB; USPAT; USCOR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 05:48
S61	13	{RFID transponder RFID "radio frequency identification" ((radio adj frequency) near2 ID) tag) same (range distance location position) same poll\$3 same (binary walk\$1through)	{US-PGPUB; USPAT; USCOR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 06:54
S62	3727	{RFID transponder RFID "radio frequency identification" ((radio adj frequency) near2 ID) tag) same count\$3 same (identification ID)	{US-PGPUB; USPAT; USCOR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:12
S63	365	S62 and 340/3.51,3.52,3.53,3.54,5.92,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,572:1.ccls	{US-PGPUB; USPAT; USCOR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:13
S64	256	S63 and (@ack<"20040206" or @riack<"20040206")	{US-PGPUB; USPAT; USCOR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:13
S65	2776	{RFID transponder RFID "radio frequency identification" ((radio adj frequency) near2 ID) tag) with (count\$3 number) with (search \$3 interrogat\$3)	{US-PGPUB; USPAT; USCOR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:25
S66	616	S65 and 340/3.51,3.52,3.53,3.54,5.92,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,572:1.ccls	{US-PGPUB; USPAT; USCOR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:25
S67	444	S66 and (@ack<"20040206" or @riack<"20040206")	{US-PGPUB; USPAT; USCOR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:26

S68	46	("4476469" "4654658" "4703327" "4725841" "4730188" "4752680" "4783646" "4799059" "4862160" "4884208" "5057095" "5063380" "5214410" "5294931" "5339073" "5340968" "5424868" "5446447" "5450070" "5519381" "5537105" "5550547" "5550548" "5557280" "5572226" "5583819" "5602538" "5635917" "5648765" "5668417" "5684976" "5689238" "5751221" "5774876" "5779839" "5856788" "5936527" "5986570" "6002344" "6127928" "6177858" "6226300" "6321230" "6469618").PN. OR ("6727803").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/26 07:24
S69	3139	(RFID transponder RFID "radio frequency identification" ((radio adj frequency) near2 ID) tag) near3 count\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/12/26 07:25
S70	349	S69 and 340/3.51,3.52,3.53,3.54,5.92,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,572.1.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/12/26 07:25
S71	220	S70 and (@ack<"20040206" or @rldack<"20040206")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/12/26 07:26
S72	109	S71 not S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/12/26 07:26
S73	6	battele as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/06/18 08:56
S74	2	"6774766".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/06/24 11:46
S75	54	("4071908" "4476469" "4654658" "4703327" "4725841" "4730188" "4752680" "4783646" "4797948" "4799059" "4862160" "4884208" "5008661" "5057095" "5063380" "5214410" "5266825" "5294931" "5339073" "5340968" "5424868" "5446447" "5450070" "5519381" "5537105" "5550547" "5550548" "5557280" "5572226" "5583819" "5602538" "5630064" "5635917" "5648765" "5668417" "5689238" "5751221" "5774876" "5779839" "5841770" "5856788" "5865527" "5986570" "6002344" "6127928" "6177858" "6307848").PN. OR ("6774766").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/24 11:49
S76	1	"5673073".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/24 11:58
S77	1	"5673037".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/24 11:59
S78	80	(query\$3 search\$3 interrogat\$3) near5 (algorithm\$1 technique\$1 method\$1) same (group cluster member) same (tag\$1 transponder \$1 (RF near2 device\$1) ("radio frequency" near2 (device\$1 equipment))) and "340"/\$.cds.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/24 12:02
S79	13	("5517399" "5856788" "6100804" "6130602" "6366206" "6463039").PN. OR ("6734797").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/24 12:22

S80	28	{specific adj read} same {general adj read} same {search interrogation query\$3} same {cluster\$1 group\$1} and "340"/\$ cols.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/24 12:25
S81	0	S80 not S78	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/24 12:29
S82	117	340/10.32 cols.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/24 12:37
S83	94	("20020008611" "20030227323" "2411555" "3618089" "4068232" "4209783" "4278877" "4375289" "4408185" "4593412" "4656472" "4860192" "4673932" "4706050" "4782308" "4802080" "4814595" "4827266" "4928108" "4963887" "5013889" "5055893" "5084699" "5099227" "5126749" "5142292" "5202644" "5214409" "5305008" "5324315" "5452344" "5493267" "5604485" "5519381" "5521602" "5541604" "5550596" "5604411" "5619529" "5621411" "5691605" "5699837" "5698838" "5701121" "5703573" "5767503" "5801372" "5831257" "5850416" "5874725" "5883582" "5889273" "5905444" "5955950" "6014088" "6025780" "6028503" "6034640" "6070803" "6070804" "6072383" "6075491" "6100788" "6137411" "6150986" "6154635" "6172608" "6208235" "6229443" "6243013" "6265962" "6272320" "6272321" "6281794" "6304169" "6307468" "6307517" "6335665" "6383045" "6424820" "6441804" "6446049" "6491230" "6498923" "6646543" "6650226" "6650227" "6650229" "6654466" "6690229" "6703921"). FN. OR ("6879246"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/24 12:42
S84	759	{query\$3 search\$3 interroga\$3} near5 {algorithm\$1 technique\$1 method\$1} same {group\$3 cluster member range identifier} same {tag\$1 transponder\$1 (RF near2 device\$1) ("radio frequency" near2 (device\$1 equipment))}	US-PGPUB; USPAT; USOCR; FRPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 12:53
S85	269	S84 and "340"/\$ cols.	US-PGPUB; USPAT; USOCR; FRPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 12:54
S86	181	S85 not (S82 S80 S78 S75 S79)	US-PGPUB; USPAT; USOCR; FRPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 12:55
S87	40	("4027840" "4242663" "4359733" "4364049" "4682173" "5072900" "5387916" "5414432" "5453747" "5471212" "5468830" "5521601" "5525992" "5563589" "5602538" "5606313" "5621412" "5627517" "5629691" "5640151" "5695066" "5701127" "5787174" "5856788" "5881776" "5895436" "6064320" "6265963"). FN. OR ("6329944"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/24 13:00
S88	50	{steale.in. or anderson.in. or gilbert.in.} and battle.as.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/24 13:02
S89	94	{query\$3 search\$3 interroga\$3} near5 {algorithm\$1 technique\$1 method\$1} same {group\$3 cluster member range identifier} same {tag\$1 transponder\$1 (RF near2 device\$1) ("radio frequency" near2 (device\$1 equipment))}	FRPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 13:07
S90	0	"200400466642".pn.	FRPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 14:39
S91	0	"200400466642".pn.	US-PGPUB; USPAT; USOCR; FRPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 14:40

S92	2	"20040046642".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 14:40
S93	2	"6774766".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 14:58
S94	0	{general adj (query\$1 interrogation search)} same (specific adj (query\$1 interrogation search)) same (device\$1 tag\$1 transponder \$1) same (group\$3 set sub\$1 set cluster\$1) and "340"/\$ ocs.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/24 15:03
S95	11	{general adj (query\$1 interrogation search)} same (specific adj (query\$1 interrogation search)) same (device\$1 tag\$1 transponder \$1) same (group\$3 set sub\$1 set cluster\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/24 15:04
S96	20	{general adj (query\$1 interrogation search)} same (specific adj (query\$1 interrogation search)) same (device\$1 tag\$1 transponder \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 15:05
S97	9	S96 not S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/24 15:07
S98	91	"3520406" "3689886" "4071908" "4225953" "4418411" "4471345" "4495486" "4533871" "4598275" "4636950" "4656463" "4862160" "4931788" "5030807" "5124699" "5214409" "5214410" "5245534" "5266925" "5269372" "5313052" "5339073" "5365616" "5365651" "5390360" "5410315" "5420577" "5430441" "5434572" "5434775" "5444223" "5446447" "5469142" "5478991" "5479416" "5489908" "5499017" "5500650" "5515053" "5519381" "5528222" "5528232" "5537105" "5539394" "5539775" "5541928" "5550547" "5557280" "5566441" "5576692" "5583619" "5583850" "5591951" "5602538" "5606323" "5627517" "5627544" "5640151" "5646607" "5648765" "5648767" "5673037" "5680459" "5686888" "5686902" "5689239" "5742618" "5774876" "5796693" "5828318" "5856788" "5887176" "5912832" "5917422" "5959568" "5963133" "5995019" "6002344" "6025760" "6057756" "6068374" "6097347" "6215401" "6271793" "6286762" "6354493" "6388569" "6774766".PN. OR ("7075436").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/24 15:10
S99	19	{select\$3 choos\$3 pick\$3 determin\$3} near3 (interrogation search) near3 (method procedure protocol) same (RFID tag\$1) and "340"/\$ ocs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 14:39
S100	232	(interrogation interrogating search) near3 (method procedure protocol) same (RFID tag\$1) and 340/572.1,10.32,10.33,10.1 ocs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 14:51
S101	179	S100 and (@ack "20040206" @lrad "20040206")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 14:52

S102	60	("4071906" "5339073" "5469142" "5479416" "5583819" "5602538").PN. OR ("5856788").UPFN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/30 15:19
S103	15	{plurality multiple switch\$3 chang\$3 two} near2 ((telephone phone mobile directory) adj number) with (packet near switch\$3) with (circuit adj switch\$3) and ("455"/\$ods. or "370"/\$ods. or "709"/\$ods. or "379"/\$ods.)	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/30 17:34
S104	0	{select\$3 chosen choos\$3} near2 (interrogation interrogating search) near3 (method procedure protocol) same (RFID tag\$1) and 340/3.51.3.52.3.53.3.54.10.2.10.3.10.31.10.32.10.33.10.34.10.4.10.41.10.42.825.31.572.1.5.92.ods.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 18:19
S105	7	{select\$3 chosen choos\$3} near2 (interrogation interrogating search) near3 (method procedure protocol) and 340/825.54.10.2.572.1.10.32.10.33.10.1.ods.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 18:21
S106	1298	{identification identifier address\$2} same (interrogation interrogating search) with (RFID reader tag\$1) and (235/385.ods. or 340/3.51.3.52.3.53.3.54.10.2.10.3.10.31.10.32.10.33.10.34.10.4.10.41.10.42.825.31.572.1.5.92.ods.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 10:50
S107	139	{identification identifier address\$2} same (interrogation interrogating search) near3 (technique\$1 method\$1 procedure\$1) with (RFID reader tag\$1) and (235/385.ods. or 340/3.51.3.52.3.53.3.54.10.2.10.3.10.31.10.32.10.33.10.34.10.4.10.41.10.42.825.31.572.1.5.92.ods.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 10:51
S108	13	("5841770" "5995019" "6002344" "6107810" "6265963" "6433671" "6531954" "6531957" "6580358" "6950009" "7035618" "7057511" "7075436").PN. OR ("7425888").UPFN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/10 10:55
S109	501	{{identification identifier address\$2} and (interrogation interrogating search) and (technique\$1 method\$1 procedure\$1) and (RFID reader tag\$1)} .dm. and (235/385.ods. or 340/3.51.3.52.3.53.3.54.10.2.10.3.10.31.10.32.10.33.10.34.10.4.10.41.10.42.825.31.572.1.5.92.ods.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 10:56
S110	471	{{identification identifier address\$2} and (interrogation interrogating search) and (technique\$1 method\$1 procedure\$1) and (RFID tag\$1)} .dm. and (235/385.ods. or 340/3.51.3.52.3.53.3.54.10.2.10.3.10.31.10.32.10.33.10.34.10.4.10.41.10.42.825.31.572.1.5.92.ods.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 10:56
S111	3306	{{identification identifier address\$2} and (interrogation interrogating search) and tree and binary (technique\$1 method\$1 procedure\$1) and (RFID tag\$1)} .dm. and (235/385.ods. or 340/3.51.3.52.3.53.3.54.10.2.10.3.10.31.10.32.10.33.10.34.10.4.10.41.10.42.825.31.572.1.5.92.ods.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 10:57
S112	7	{{identification identifier address\$2} and (interrogation interrogating search) and tree and binary and (technique\$1 method\$1 procedure\$1) and (RFID tag\$1)} .dm. and (235/385.ods. or 340/3.51.3.52.3.53.3.54.10.2.10.3.10.31.10.32.10.33.10.34.10.4.10.41.10.42.825.31.572.1.5.92.ods.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 10:57

S113	37	("4075632" "4862453" "4926182" "5142694" "5365551" "5479416" "5500650" "5583850" "5608738" "5621412" "5625628" "5627544" "5649296" "5805586" "5841770").PN. OR ("6061344").UPRN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/10 10:57
S114	5	steel in. and (235/385.cds. or 340/3.51,3.52,3.53,3.54,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,825,31,572,1.5,92.cds.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 10:58
S115	30	("2833995" "3848195" "3815048" "3882425" "4054871" "4075632" "4135168" "4360810" "5198807" "5649295" "5701121" "5751197" "5828693" "5974078" "6144239" "6310540").PN. OR ("6785476").UPRN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/10 10:59
S116	36	Battelle as. and (235/385.cds. or 340/3.51,3.52,3.53,3.54,10.2,10.3,10.31,10.32,10.33,10.34,10.4,10.41,10.42,825,31,572,1.5,92.cds.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 10:59
S117	47	("3705385" "4064467" "4075632" "4360810" "4736207" "4833481" "5369900" "5450492" "5517195" "5694454" "5699055" "5771021" "5850181" "5864302" "6091342" "6177861" "6249229" "6362738" "6456668" "6490143" "6505321").PN. OR ("6745008").UPRN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/10 11:00
S118	1	"20050235052".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/10 13:52
S119	0	(charg\$3 near\$3 function) with (accounting near (ACK acknowledgement)) and 455 405-409.cds	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/10 19:59
S120	2	(accounting near (ACK acknowledgement)) and 455/405-409.cds	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/10 19:59
S121	43485	(cellular mobile radio wireless) and (pots (land adj. line))	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/10 23:20
S122	38069	(cellular mobile radio wireless) and (pots (land adj. line))	US-PGPUB; USPAT	OR	ON	2009/09/10 23:21
S123	10603	protocol near (conversion convert\$3)	US-PGPUB; USPAT	OR	ON	2009/09/10 23:21
S124	27889	format near (conversion convert\$3)	US-PGPUB; USPAT	OR	ON	2009/09/10 23:22
S125	1249	S123 and S124	US-PGPUB; USPAT	OR	ON	2009/09/10 23:22
S126	169	S121 and S125	US-PGPUB; USPAT	OR	ON	2009/09/10 23:23
S127	137	S126 and (authoriz\$5 authenticat\$3 validat\$3)	US-PGPUB; USPAT	OR	ON	2009/09/10 23:24
S128	12	((choos\$3 select\$3 pick\$3 determin\$5 detect\$3) near\$3 (method technique procedure) near\$3 search\$3 with ((identifier\$1 identification) and "340")\$ cds	US-PGPUB; USPAT; USOCR	OR	ON	2010/03/04 10:17
S129	3	((choos\$3 select\$3 pick\$3 determin\$5 detect\$3) near\$3 (method technique procedure) near\$3 search\$3 with tag near\$5 (number\$1 identifier\$1 identification) and "340")\$ cds	US-PGPUB; USPAT; USOCR	OR	ON	2010/03/04 10:22
S130	4	((choos\$3 select\$3 pick\$3 determin\$5 detect\$3) near\$3 (method technique procedure) near\$3 search\$3 same tag near\$5 (number\$1 identifier\$1 identification) and "340")\$ cds	US-PGPUB; USPAT; USOCR	OR	ON	2010/03/04 10:22
S131	1	"6876294".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2010/03/10 09:57
S132	1	(variable varying multiple adaptive\$2 dynamic\$4 select\$3) near\$5 (search interrogat\$3) near\$3 (technique\$1 method\$1) with ident.\$3 same reader and (340/3.1,5,1,3,51,3,52,3,6,10,1,10,32,500,539,23,540,572,1,572,4,573,1,10,33,825,54.cds.)	US-PGPUB; USPAT; USOCR	OR	ON	2010/03/10 10:17

S133	49	{search interrogat\$3} near3 (technique\$1 method\$1) with ident\$8 same reader and 340/3.1.5.1.3.51.3.52.3.6.10.1.10.32.500.539.23.540.572.1.572.4.573.1.10.33.825.54.cds)	{US-PGPUB; USPAT; USOCR; USOCR JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:18
S134	24	S133 and (@ack<"20040206" or @rlad<"20040206")	{US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:19
S135	7	{reader interrogator} near3 (determin\$5 select\$3 choos\$3) with (search interrogation) near3 (algorithm\$1 method\$1 technique\$1) same (group ident\$8)	{US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:30
S136	49	{determin\$5 select\$3 choos\$3} near3 (search interrogation) near3 (algorithm\$1 method\$1 technique\$1) same (group ident\$8) and "340"/\$ cds	{US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:33
S137	48	S136 not S135	{US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:33
S138	47	S137 not S134	{US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:34
S139	37	S138 and (@ack<"20040206" or @rlad<"20040206")	{US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:34
S140	25	("4075632" "4862453" "4926182" "5365551" "5479416" "5500650" "5583850" "5608739" "5621412" "5625628" "5627544" "5649296" "5942967" "5952922") FN OR ("6275476") UFPN	{US-PGPUB; USPAT; USOCR	OR	ON	2010/03/10 10:43
S141	134	{reader interrogator} with ((search interrogation) near2 (algorithm\$1 method\$1 technique\$1)) and "340"/\$ cds.	{US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:46
S142	79	S141 and (@ack<"20040206" or @rlad<"20040206")	{US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:47

S143	55	S142 not (S133 S134 S135 S136 S137 S138 S139 S140)	{US-PGRUB; USPAT; USOCR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:47
S144	53	S143 not volpi.in.	{US-PGRUB; USPAT; USOCR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:48
S145	5	{group identi\$8) with (specific general) with (tree binary) with (search interrogation) and "340"/\$cols	{US-PGRUB; USPAT; USOCR: EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/10 10:59
S146	12	{group near (address\$3 identi\$8)) near5 (tag tags RFID sensor\$1) with (search\$1 interrogat\$3) and "340"/\$cols	{US-PGRUB; USPAT; USOCR	OR	ON	2010/03/10 12:48
S147	1	"6442479".pn.	{US-PGRUB; USPAT; USOCR	OR	ON	2010/03/10 13:04
S148	1	"5915219".pn.	{US-PGRUB; USPAT; USOCR	OR	ON	2010/03/10 13:32
S149	1	"6442479".pn.	{US-PGRUB; USPAT; USOCR	OR	ON	2010/03/10 15:33

8/17/2010 10:15:25 AM

H:\2005-2009 Olumide EAST\10774146.wsp